PTO/SB/08B (10-61)
Approved for use through 10/31/2002. OMB 0651-0031
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Substitute for form 1449A/PTO

Sheet

Examiner

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

of

1

1

Complete if Known Application Number 09/438,856 November 12, 1999 Filing Date Lawrence G. Meares First Named Inventor 2123 Art Unit Eduardo Garcia-Otero **Examiner Name** Attorney Docket Number 3104P002

ERATURE DOCUMENTS	
f the article (when appropriate), title of the item (book, age(s), volume-issue number(s), publisher, city and/or published.	T²
, L., Application of Analog & Mixed Signal ng of Diagnostic Tests.	
., AND QUESNEL, G., LIMSoft: Automated Tool f ternational Test Conference, pp 571-580, 1996, Cana	la
mosis Based on Sensitivity Computation and Functio rch 1992	al
RECEIVE	D.
APR 2 4 20)3
Technology Center	2100
·	_ _
	_
	<u>.</u>
	- 1

GARCIA-OTERO Signature *Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication.

Considered

'Applicant's unique citation designation number. 'Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Y 15 MISSING DATA; DATE, PAGE etc E.S.